

ORGOVYX

Conversation Starter



Your healthcare provider can be your most valuable resource. **Take this guide to your next appointment and discuss if ORGOVYX is right for you.**

ADT = Androgen Deprivation Therapy; PSA = Prostate-Specific Antigen.

What matters to you when discussing your treatment options?

Check off what's important for your next discussion with your healthcare team

- | | |
|---|--|
| Lowering testosterone and keeping levels low | How treatment will affect my lifestyle |
| Monitoring and lowering PSA levels | Impact on sexual health and function |
| How ADT is taken or given (pill or injection) | Interactions with other medications |
| Duration of treatment and what to expect | Affordable with my insurance |
| Safety and possible side effects | Testosterone returning after treatment is discontinued |
| Potential risk of heart problems | |

Questions to consider at your next appointment

About ADT, a type of hormone therapy

1. What role does lowering testosterone play in my advanced prostate cancer treatment?
2. How do ADTs treat advanced prostate cancer?
3. How will ADT affect my PSA levels, and what does that mean for my treatment?
4. What are the different types of ADT medications?
5. Can you tell me more about cardiovascular risks associated with ADT medications?
6. Should I expect an initial rise in testosterone levels from ADT medications?

About ORGOVYX

1. How soon can I expect ORGOVYX to start lowering my testosterone levels?
2. Can I also expect ORGOVYX to lower my PSA levels?
3. How is ORGOVYX different from injectable ADT options?
4. How often do I take ORGOVYX? How big is the pill?
5. What are possible side effects I could experience while taking ORGOVYX?
6. What follow-up tests or monitoring will I need while I'm taking ORGOVYX?
7. What could happen to my testosterone levels if I stop treatment?



To learn more about savings and support offerings, visit [ORGOVYX.com/Savings](https://www.orgovyx.com/savings)

IMPORTANT SAFETY INFORMATION & USE

What is ORGOVYX?

ORGOVYX is a prescription medicine used in adults for the treatment of advanced prostate cancer.

It is not known if ORGOVYX is safe or effective in females or children.

Do not take ORGOVYX if you have had a severe allergic reaction to relugolix or any of the ingredients in ORGOVYX.

What should I tell my healthcare provider before taking ORGOVYX?

Tell your healthcare provider about all of your medical conditions, including if you:

- Have any heart problems, including a condition called long QT syndrome.
- Are pregnant or plan to become pregnant. ORGOVYX can harm your unborn baby and cause loss of pregnancy (miscarriage).

Please see Important Safety Information throughout and full [Prescribing Information](#) and [Patient Product Information](#) for ORGOVYX.

Concerns about ORGOVYX® (relugolix) cost?

With everything you have going on, we want to help make paying for treatment easier.

Visit [ORGOVYX.com/Saving](https://www.orgovyx.com/saving) or scan here:

Or call 1-833-ORGOVYX
(1-833-674-6899)
for support and guidance.



IMPORTANT SAFETY INFORMATION & USE (cont'd)

Tell your healthcare provider about all of your medical conditions, including if you:

- Have a partner who is pregnant or may become pregnant.
- Males who have female partners who are able to become pregnant should use effective birth control (contraception) during treatment with ORGOVYX and for 2 weeks after the last dose of ORGOVYX.
- Are breastfeeding or plan to breastfeed. It is not known if ORGOVYX passes into your breast milk.

Tell your healthcare provider about all the medicines or treatments you receive, including: prescription and over-the-counter medicines, vitamins, and herbal supplements. Taking ORGOVYX with certain other medicines can affect how ORGOVYX works or may cause side effects.

You should not start or stop any medicine before you talk with your healthcare provider who prescribed ORGOVYX.

What are the possible side effects of ORGOVYX?

Serious side effects of ORGOVYX include:

- **Changes in the electrical activity of your heart (QT prolongation).** Your healthcare provider may check your body salts (electrolytes) and the electrical activity of your heart during treatment with ORGOVYX. Tell your healthcare provider right away if you get any signs or symptoms of QT prolongation, including:
 - dizziness
 - feeling that your heart is pounding or racing (palpitations)
 - fainting
 - chest pain

- **Allergic reactions.** Stop taking ORGOVYX and tell your healthcare provider or get emergency medical help right away if you get any signs or symptoms of an allergic reaction, including:

- swelling of your face, lips, tongue, throat, or trouble swallowing
- trouble breathing
- hives (raised bumps), rash, or redness all over your body

Most common side effects of ORGOVYX include:

- hot flushes
- muscle and joint pain
- tiredness
- increased blood sugar levels
- decreased blood hemoglobin levels
- constipation
- increased blood fat (triglyceride) levels
- increased liver enzymes
- diarrhea

ORGOVYX may cause other side effects including weight gain, decreased sex drive, and erectile function problems.

ORGOVYX may cause fertility problems in males, which may affect your ability to father children. Talk to your healthcare provider if this is a concern for you.

These are not all the possible side effects of ORGOVYX. Call your doctor for medical advice about side effects or if you have a side effect that bothers you or does not go away.

You may report side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

Please see Important Safety Information throughout and full Prescribing Information and Patient Product Information for ORGOVYX.



◆ is a trademark of Sumitomo Pharma Co., Ltd., used under license.
SUMITOMO PHARMA is a trademark of Sumitomo Pharma Co., Ltd., used under license.
SUMITOMO is a registered trademark of Sumitomo Chemical Co., Ltd., used under license.
Sumitomo Pharma America, Inc. is a U.S. subsidiary of Sumitomo Pharma Co. Ltd.
ORGOVYX® and its associated logo are registered trademarks of Sumitomo Pharma Switzerland GmbH.
© 2025 Sumitomo Pharma Switzerland GmbH and Pfizer Inc. All rights reserved. ORG-US-0065-25 05/2025

